

USB WEBCAM



User's Manual

DA-70816 / DA-70817 rev. 2-0

Features

How to install Digitus Webcam ■




DA-70816

- · For online chat, video & voice call (MSN, Skype, AOL, Yahoo compatible)
- · High Quality 1.3 MegaPixel Sensor
- · High Quality Special Lens for sharp picture
- Compact design for notebook use
- · Easy to use featured application . 12 Mega Pixel Interpolation for
- Picture & Video Capture MPEG 4 Video Recording
- . JPEG/BMP Picture Capture
- · Built-in Microphone
- · Face Tracking, Face Effect and Special Features*
- · No driver required for Windows XP/Vista/7



DA-70817

- . For online chat, video & voice call (MSN, Skype, AOL, Yahoo compatible)
- . High Quality 1.3 MegaPixel Sensor . High Quality Special Lens for
- sharp picture
- Flexible design for Notebook and desktop computer USB ports
- · Easy to use featured application
- 12 Mega Pixel Interpolation for Picture & Video Capture
- MPEG 4 Video Recording
- · JPEG/BMP Picture Capture
- · Built-in Microphone
- . Hardware Snap Shot Button
- · Flexible body
- · Face Tracking, Face Effect and Special Features*
- . No driver required for Windows XP/Vista/7




■ How to install Digitus Webcam Utility Program





Plug Digitus Webcam usb connector in your computer USB port as shown in the picture.



Click on "next" button to start installation



Click on "install this driver software anyway"



Click on "finish" button to complete installation




Digitus Webcam Utility Program icon on desktop



Digitus Webcam Utility Program shown in program menu


How to install Digitus Webcam Utility Program •




■ How to install Digitus Webcam Utility Program

How to install Digitus Webcam Utility Program

Video Capture Filter



Properties Setting



6

■ How to use Digitus Webcam Utility Program

Video Capture Filter

How to use Digitus Webcam Utility Program


Video Capture Filter

Properties - Effects (only@320x240)





Properties - Zoom (only@320x240)



Video capture pin

Properties - Color Space/Compression



Change video capture frame rate (fps).

Properties - Output Size



Change video capture output resolution. (Video resolution can be set on the main menu of Digitus Webcam Utility Program

7

■ How to use Digitus Webcam Utility Program

Audio Capture Filter

Properties- Audio Input / Mixer Properties



Option

General



Change microphone settings

Digitus Webcam Q&A

Troubleshooting

- 0.1: Digitus Webcam does not work?
- A1.1: Digitus Webcam are with USB 2.0 UVC Driverless interface. Please follow up steps on page 2 how to install your webcam.
- A1.2: To use your webcam or capture picture/video you need an application installed in your computer. You may use " Digitus Webcam Utility Program" for this purpose (Please refer to page 3 how to install Digitus Webcam Utility Program).
- A1.3: If still you have problem, unplug your webcam from your computer USB port, restart your computer and repeat the steps as explained on page 2
- A1.4 If the problem still exists please contact with your reseller's technical support centre.
- Q.2: The microphone of Digitus Webcam does not work.
- A2.1: Please make sure that your webcam's digital microphone "Digital Audio Interface" is chosen as audio input in the application used.
- A2.2: If still not working, unplug your webcam from your computer USB port and restart your computer and repeat the steps as explained on page 2.
- A2.3: If the problem still exists, please contact with your reseller's technical support centre.
- Q.3: Face Tracking, Face Effect and Special Features do not work
- A3.1: Please make sure that Digitus Webcam Utility program is installed for Digitus Webcam
- **A3.2:** Please make sure that picture output size is change to 320x240 or lower.

Digitus Webcam Technical Specification



DA-70816

Sensor 1/4" CMOS sensor Pivel 1.3 MegaPixel Still Image Capture Resolution Up to 12 Mpixel (by software interpolation) Digital Video Capture Resolution Up to 12 Mpixel (by software interpolation) Digital Video Frame Rate 30 frames/sec (QSIE QCIE SIE CIE VGA) 15 frames/sec (XVGA, 1024x768, 1280x1024) 10 frames/sec (1600x1200, 2000x1600, 2592x1944) Video Format MPEG4 Picture Format Jpea. Bmp Lens High Quality Compact Lens Lens Focus Distance 80mm-infinity (Fix lens) Programmed adjustments Brightness, Contrast, Saturation Sharpness, etc. Auto adjustments Auto Exposure. White balance, etc. Audio Built-in Microphone Interface Type USB 2.0 UVC Driverless Interface **OS Requirement** Windows XP-Vista/7 Others Face Tracking. Face Effect and Special Features (Only@320x240 or lower)



DA-70817

1/4" CMOS sensor 1.3 MegaPixel Still Image Capture Resolution Up to 12Mpixel (by software interpolation) Digital Video Capture Resolution Up to 12 Mpixel (by software interpolation) Digital Video Frame Rate 30 frames/sec (OSIE OCIE SIE CIE VGA) 15 frames/sec (XVGA, 1024x768, 1280x1024) 10 frames/sec (1600x1200, 2000x1600, 2592x1944) Video Format MPEG4 Picture Format Jpea. Bmp Lens Autofocus Liquid Lens Lens Focus Distance 80mm-infinity (Manual focus) Programmed adjustments Brightness, Contrast, Saturation, Sharpness, Backlight Comp. Gamma, Flicker, etc. Auto adjustments Auto Exposure. White balance, etc. Audio Built-in Microphone Interface Type USB 2.0 UVC Driverless Interface **Bundled Application** Digitus Webcam Utility Program (only for Windows XP/Vista/7) OS Requirements Windows XP/Vista/7, MAC 10.X, Some Linux OS (no driver required for all OS mentioned) Hardware Snapshot Button, Flexible Body Face Effect and Special Features (Only320x240 or lower) Webcam ON/OFF LED









