

2-PORT USB TRAVEL CHARGER



(EU, US, UK)

Quick Installation Guide 31808

[Basic Parameter]

Weight	170g
Dimension	56x45x29(mm)
Input	110-240VAC 50/60Hz
Output	5V2.5A(2 USB total 2.5A max)
Available plugs	EU,US,UK interchangeable plugs
Certification	CE、CB、FCC、PSE、SAA

【Charging method】

Select the plug which you need





Step 2



Step 3




Step 4



itep 5



Step 6



- 1) Use your USB charging cables to connect to the USB output of the charger, while connecting the other sides with your devices.
- 2) Plug into the socket among 110-240V, the charger is ready when the devices indicate in charging status
- 3) There are 2 ports, the total max. current is 2.5A. The charging speed will be affected by devices total required current. Usually you can charge 2 devices at the same time.

In general, 2.1A output is ideal for a tablet PC, 1.0A output is ideal for a smartphone.



[Suitable for]

It is suitable for iPad[®]/iPhone[®]/iPod[®], Samsung and other Android smartphones, tablet PC's, portable speakers, power banks, cameras, GPS, etc.

Maintain: Your product possess of perfect quality.

To extend the product life, please do as followings.

- 1. Keep dry and keep away from damp and erosive goods
- 2. Don't disassemble the product
- 3. Don't store it under over-hot or over-cold environment
- 4. Don't knock or crash the product

All of the products have been tested and verified. If it occurs over-hot, out of shape, breakage or other abnormal cases, please stop to use and contact your vendor.